

Portal Light ^{AC EU}



Technical Specifications

Portal Light ^{AC EU}

Electronics		ESP32 microcontroller
Connectivity	WiFi Bluetooth Range	802.11 b/g/n (802.11n up to 150 Mbps) 2.4 GHz ~ 2.5 GHz Bluetooth v4.2 BR/EDR and BLE specification Up to 50 meters
Power	Input voltage Output voltage Max load current Max load Plug type	90V-240VAC 90V-240VAC 16A 3000W E (Grounded)
Environmental Requirements	Operation temperature Operation humidity	0°C-40°C 10%-90% - non condensing
Physical Specification		Dimensions: 110 x 62.3 x 34.9 mm Weight: 160 g (5.64 oz) Push button RGB led
Features		Wifi connectivity with open/WEP/WPA/WPA2_PSK Over-the-Air gateway firmware update BLE scanning BLE to WiFi gateway WiFi fallback mode (secondary wifi configuration) Configuration via WiFi or mobile application RGB LEDs signalling device state.





Get in Touch

Kontakt.io

Stoczniewców 3, 30-709
Kraków, Poland

T +48 123 793 445

E hello@kontakt.io

Kontakt.io

19 W 34 Street, Suite 1018,
New York Zip 10001

T +1 415-295-4558

E hello@kontakt.io