

# Sticker Tag



## Technical Specifications

# Sticker Tag

### Physical

Height	2.10 in (53.5 mm)
Width	2.44 in (62 mm)
Depth	0.08 in (2.1 mm)
Weight	0.14 oz (4 grams) battery included
Material	Paper
Color	White
Product identification	QR code with MAC address and Unique ID
Mounting	Peel and stick; adhesive

### Environmental

Operating temperature	-4°F to 122°F (-20°C to 50°C)
Storage temperature	68°F to 95°F (20°C to 35°C)
Operating humidity	10%-95% RH (non-condensing)
Storage humidity	5%-95% RH (non-condensing)
Shelf Life	1 year

### Battery Power

Battery life	Up to 12 months with Kontakt.io default configuration
Battery type	Biodegradable paper battery
Power activation	Near-field communication (NFC)

### Bluetooth Low Energy (LE) Radio

Wireless standard	Bluetooth LE 5.0 and 5.3 compatible
Range	Open space up to 164 feet (50 meters)
Available transmission power level	-20dBm to +5dBm
Supported data packet	Kontakt.io Location (default), Telemetry, and iBeacon   non-connectable

### Certifications

FCC, CE, RoHS

 **kontakt.io**

# Get in Touch

## **Kontakt.io**

Stoczniewców 3, 30-709  
Kraków, Poland

T +48 123 793 445

E [hello@kontakt.io](mailto:hello@kontakt.io)

## **Kontakt.io**

133 West 19th Street 7th Floor  
New York, NY 10011

T +1 415-295-4558

E [hello@kontakt.io](mailto:hello@kontakt.io)